



株式会社カネキ 曲げ加工仕様書 (1)

I形鋼 (700~300タテ曲可能)	立曲	ホイスト曲
5×75×100	2,200R	500R
5.5×75×125	3,000	500
5.5×75×150	Rにより御相談ください	500
6×100×180	〃	500
7×100×200	〃	500
9×150×200	〃	1,000
7.5×125×250	〃	1,000
10×125×250	〃	1,000
8×150×300	〃	1,000
10×150×300	〃	1,000
11.5×150×300	〃	1,000
9×150×350	〃	1,000
12×150×350	〃	1,000
10×150×400	〃	1,200
12.5×150×400	〃	1,200
11×175×450	〃	1,200
13×190×600	〃	1,200
16×190×600	〃	1,500



パイプ (6A~400A可能)					
パイプ 呼び径			パイプ 呼び径		
A	B		A	B	
6	1/8	100R	90	3 1/2	1,000 R
8	1/4	140	100	4	1,150
10	3/8	180	125	5	1,400
15	1/2	220	150	6	1,650
20	3/4	270	175	7	1,900
25	1	340	200	8	2,200
32	1 1/4	430	225	9	2,400
40	1 1/2	500	250	10	2,700
50	2	600	300	12	4,200
65	2 1/2	750	350	14	8,500
80	3	900	400	16	10,000



溝形鋼 (5×40×75~13×100×380曲可能)	外曲内径	内曲外径	立曲外径
5×40×75	400 R	450 R	800 R
5×50×100	400	450	1,050
6.5×65×125	400	450	2,300
6.5×75×150	400	500	3,000
9×75×150	400	500	2,500
7.5×80×200	600	700	5,000
8×90×200	600	700	5,000
9×90×200	600	700	5,000
9×90×250	800	800	6,500
9×90×300	1,000	1,000	10,000
10.5×100×380	1,200	1,200	22,000
13×100×380	1,200	1,200	22,000

C型鋼	外曲内径	立曲外径
2.3×60×30	600 R	2,000 R
2.3×75×45	700	3,000
2.3×100×50	1,000	4,000




株式会社カネキ 曲げ加工仕様書 (2)

等辺アングル	外曲内径 	内曲外径 
3×20×20	100 R	175 R
3×30×30	100	200
3×40×40	125	250
5×40×40	125	300
4×50×50	200	300
6×50×50	150	300
6×65×65	250	400
8×65×65	250	400
6×75×75	300	600
9×75×75	280	500
10×90×90	400	750
13×90×90	500	750
7×100×100	600	750
10×100×100	600	750
13×100×100	600	750
9×130×130	650	1,250
12×130×130	650	1,250
11×150×150	1,100	1,250
15×150×150	1,100	1,500
19×150×150	1,100	1,500


レール	立曲 	ホイスト曲 
15kgレール	600 R	600 R
22kgレール	1,000	800
30kgレール	2,000	1,500
37kgレール	2,000	1,700
40kgレール	3,000	1,800
50kgレール	4,000	2,000
75kgレール	6,000	2,500
101kgレール	8,000	3,000


角Pベルト曲	
1.6×10×22	300 R
1.6×12×25	300
1.6×16×32	300
1.6×20×30	300
1.6×14×32	300
1.6×16×32	300
2.3×20×40	300
1.6×26×50	600
2.3×30×60	900
3.2×30×60	600
2.3×45×75	3,000 (内側シワ)
3.2×45×75	2,500
2.3×50×100	6,500 (内側シワ)
3.2×50×100	2,500 (内側シワ)
3.2×75×125	4,000 (内側シワ)
3.2×75×150	6,000 (内側シワ)
4.5×100×150	4,000 (内側シワ)

角Pフランジ曲	
1.6×10×22	300 R
1.6×12×25	300
1.6×16×32	500
1.6×20×30	500
1.6×14×32	500
1.6×16×32	500
1.6×16×40	600
1.6×20×40	600
1.6×26×50	700
1.6×30×60	1,000
1.6×25×75	1,500
1.6×30×70	1,900
1.6×40×80	1,900
1.6×30×90	2,000
2.3×45×75	1,500
3.2×45×75	1,000
2.3×50×100	4,000
3.2×50×100	1,500



H型鋼 (100~700曲可能)		立曲 	ホイスト曲 
細巾	100×50×4×6	1,000 R	500
	100×50×5×7	1,000	500
	125×60×4.5×6.5	1,100	500
	125×60×6×8	1,100	500
	150×75×5×7	1,350	500
	175×90×5×8	1,700	500
	200×100×5.5×8	2,300	500
	250×125×6×9	4,000	500
	300×150×6.5×9	4,300	1,000
	350×175×7×11	5,000	1,200
	400×200×6×13	7,500	1,200
450×200×9×14	11,000	1,200	
500×200×10×16	14,000	1,500	
中巾	600×200×11×17	18,000	2,000
	148×100×6×9	1,300	500
	160×125×5.5×8	1,500	500
	194×150×6×9	2,500	1,000
	244×175×7×11	4,000	1,200
	294×200×8×12	4,500	1,200
	340×250×9×14	8,000	1,500
	390×300×10×16	9,000	3,000
	440×300×11×18	11,000	3,000
	483×300×11×18	15,000	3,000
583×300×12×20	20,000	3,000	
700×300×13×24	40,000		
広巾	100×100×6×8	1,000	500
	125×125×6.5×9	1,600	500
	150×150×7×10	1,800	900
	175×175×7.5×11	3,000	1,000
	200×200×8×12	3,000	1,200
	250×250×9×14	5,000	1,500
	300×300×10×15	7,000	2,500
	350×350×12×19	10,000	5,000
400×400×13×21	20,000	6,000	

角P	内径 
1.0×9×9	150 R
1.2×12×12	150
1.6×13×13	150
1.6×16×16	150
1.6×19×19	150
1.6×21×21	200
1.6×25×25	300
1.6×28×28	350
1.6×32×32	400
1.6×38×38	400
1.6×45×45	800
2.3×50×50	1,000
3.2×50×50	800
3.2×60×60	1,400
3.2×75×75	1,500
3.2×80×80	2,000
3.2×90×90	2,500
3.2×100×100	4,700
3.2×125×125	5,000
4.5×125×125	3,000
4.5×150×150	6,600
6.0×200×200	30,000

平鋼フランジ曲	内径 
3×9	120R
3×25	150
3×38	150
3×50	175
4.5×50	150
6×50	150
6×65	250
6×75	300
6×90	300
6×100	400
9×50	150
9×65	200
9×75	230
9×90	300
9×100	400
9×125	500
9×150	1,000
9×200	2,000
12×150	650
16×200	1,000
25×300	Rは御相談下さい